

(PLANNING AND DEVELOPMENT BRANCH - D Section)

PLD-D/D-2/2147/2025

01.04.2025

RE-QUOTATION NOTICE


Sealed competitive Quotations are invited from Registered/Authorized firms for the "5 KVA UPS wiring works at M. Sc. Computational Biology Lab Palayad", Thalassery.

The Quotations with all details should reach the office of the Registrar, Kannur University, Thavakkara Campus on **09 .04.2025** by **3:00 p.m** and will be opened on the same day at **3:30 pm**.

Conditions:

1. The rate quoted should be **inclusive of GST and all other charges if any**. The base rate, GST charges and other charges if any should be furnished separately and nothing extra shall be admissible over and above the rate quoted.
2. The Contractor shall arrange suitable materials and equipment and should be got approved by the Executive Engineer and work shall be executed as per KPWD specifications.
3. The Payment will be made through bank account and no advance payment will be sanctioned.
4. The successful bidder will be required to deposit Performance Guarantee/Security Deposit of **5%** of APAC.
5. Work shall be completed within **60 (sixty) Days** from the date of executing the agreement.
6. Defect liability period is **36 months** from the date of completion of work
7. Quotation forms and details of works can be had from the www.kannuruniv.ac.in.
8. The Registrar, Kannur University reserves the right to reject any of the quotations or all the quotations without assigning any reason whatsoever.
9. Quotation schedule is appended herewith.

For more details, contact the Engineering wing, Kannur University, Thavakkara, Kannur-2. (Ph.No: **0497-2715390**)


Registrar

Notice Board/ Website

Engineering wing (For maximum publicity and information to PWD office and Dist.
Information Office, Kannur) / PRO



KANNUR UNIVERSITY
QUOTATION SCHEDULE
NAME OF THE WORK : ESTIMATE FOR 5 KVA UPS WIRING WORKS AT M.sc COMPUTATIONAL
BIOLOGY LAB PALAYAD

LAST DATE OF SUBMISSION:

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE IN FIGURES	RATE IN WORDS	AMOUNT	REMARKS
1	85	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required.20 mm	metre				
2	70	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required.25 mm	metre				
3	42	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.5/6 amps switch	nos				
4	42	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.3 pin 5/6 amp socket outlet	nos				
5	21	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.6 Module	nos				
6	21	Supply & Fixing the following types/ sizes of boxes suitable for modular accessories in surface/ recess including making good the damages, colour washing etc as required (RoHS compliant)6 module moulded plastic box on surface	nos				

7	1	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 6 way, Double do	nos				
8	1	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 2+12 way, Double door	nos				
9	13	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole	nos				
10	2	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 amps	nos				
11	2	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 amps	nos				
12	72	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required. 3 x 6 sq. mm	metre				

