

Accredited By NAAC with 'B++' Grade Website : www.kannuruniversity.ac.in

(PLANNING AND DEVELOPMENT BRANCH - D Section)

PLD-D/SO PLD-D/8253/2025

16.04.2025

QUOTATION NOTICE

Sealed competitive Quotations are invited from Registered/Authorized firms for the "Electrical Cabling works at Room No. 206, Student Amenity Centre", Thavakkara, Kannur.

The Quotations with all details should reach the office of the Registrar, Kannur University, Thavakkara Campus on 23.04.2025 by 3:00 p.m and will be opened on the same day at 3:30 pm.

Conditions:

- The rate quoted should be inclusive of GST and all other charges if any. The base rate, GST charges and other charges if any should be furnished separately and nothing extra shall be admissible over and above the rate quoted.
- 2. The Contractor shall arrange suitable materials and equipment and should be got approved by the Executive Engineer and work shall be executed as per KPWD specifications.
- 3. The Payment will be made through bank account and no advance payment will be sanctioned.
- The successful bidder will be required to deposit Performance Guarantee/Security Deposit of 5% of APAC.
- 5. Work shall be completed within 30 (thirty Days) from the date of executing the agreement.
- 6. A defect liability period is 18 months from the date of completion of work
- 7. Quotation forms and details of works can be had from the www.kannuruniv.ac.in.
- 8. The Registrar, Kannur University reserves the right to reject any of the quotations or all the quotations without assigning any reason whatsoever.
- 9. Quotation schedule is appended herewith.

For more details, contact the Engineering wing, Kannur University, Thavakkara, Kannur-2. (Ph.No: 0497-2715390)

Prof. (Dr.) Joby K Jose

Notice Board/ Website Engineering wing (For maximum publicity and information to PWD office and Dist. Information Office, Kannur) / PRO

KANNUR UNIVERSITY ESTIMATE Name of Work : Electrical Cabling Work at Room No.206 Of Student Amenity Centre Thavakkara Campus AMOUNT SL NO QUANTITY UNIT ITEM DESCRIPTION RATE Rate in wods (Rs) 2.4.1 Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, 1 1 Each interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 4 way (4 + 12), Double door

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE	Rate in wods	AMOUNT (Rs)
2	5	2.10.1 Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole	Each			
3	. 1	 2.13.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 amps 	Each			
4	1	 2.15.2 Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 amps 	Each			
5	48	1.17.31 Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required. 4 x 6 sq. Mm	metre			

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE	Rate in wods	AMOUNT (Rs)
6	70	 90.12.7.40 Supply, laying and clamping of 1 no. PVC insulated and PVC sheathed armoured aluminium power cable, 1.1 KV grade of the following sizes using clamps noted along with the cables, spacing of clamps not exceeding 60cms, making good the damages , colour washing etc. as required. 4 core 10 sq mm with factory made clamp 	metre		S Par S Par S Par S Provinces Caro Dohome - N O S S Par S Par Par S Par S Par S	
7	38	90.16.1.3 Supply and drawing bare earthing conductors of the following sizes along with wiring/ cables and giving connection as required 3.15 mm copper conductor (10 SWG)	metre			ā.
8	1	Od1484/2025-2026 Supply And Installation Of 3 Phase 4 Wire Electrical Energy Meter with necessary fittings and accessories.	each			
9	1	Od1538/2025-2026 Supplying and fixing 40amps to 63 amps rating ,240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc.as required. Three Pole	each			

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE	Rate in wods	AMOUNT (Rs)
10	35	 1.21.3 Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required. 32 mm 	metre			
11	6	90.12.24.4 Supply of superior quality copper tubular cable socket and making core termination of cables of the following sizes including crimping etc. as required. 10 sq mm	each			
12	2	9.1.32 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 4 X 10 sq. mm (25mm)	set			

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE	Rate in wods	AMOUNT (Rs)
13	1	Od1646/2025_2026 Supply And Fixing Rectangular Sintex Box (IP55) Of Size 56cmX28cm for installing 3Phase Energy Meter with Isolator , interconnection with accessories including all.	each			
		Total Amount				0
		GST @ 18%				0.00
		Total				0.00

